### **Drug Screen Confirmation Test**

#### CAIRNS TOTAL PHYSIO (MAREEBA)

As part of your pre-employment, you are required to attend our Pathology Collection Centre **immediately** to provide a urine sample for the purposes of a confirmatory drug test. This test is a requirement of Bodycare's pre-employment process, delivered on behalf of your potential employer.

#### **Preparing for Your Test**

- Please contact the Collection Centre to advise that you need to have a confirmatory drug test performed **immediately** after a non-negative instant drug test.
- You **MUST** attend the pathology Collection Centre **immediately** to provide a confirmatory sample. Failure to attend your lab-based drug test confirmation immediately may result in the assessment being incomplete, which may impact your application. If you are unable to attend immediately, please contact Bodycare to advise.
- Please advise the Collection Centre that you are attending a pre-employment drug test for Bodycare.
- It is essential that you bring your referral document to the Collection Centre.
- You are not required to pay for the test on the day (payment is included as part of your final pre-employment fee).
- Please avoid any caffeinated drinks and please do not drink more than one glass (250 ml) of water two hours prior to your appointment. The consumption of too much water may dilute your sample. In the instance of this occurring, we will require you to be re-tested.

#### Location


#### QML Pathology

175 Byrnes Street, Mareeba QLD 4880

Mon – Thurs 07:30-12:00, 12:30 – 16:00, Fri 07:30 – 12:00, 12:30 – 15:30

07 4092 2919

(i)





# Urine Drugs of Abuse Request and Chain-of-Custody Form All details must be completed to comply with Australian Standard AS/NZ 4308:2008

ML Pathology.

	RMATION												
Surname:			Giv	<mark>en Name</mark>	<mark>e:</mark>			Date of I	<mark>Birth:</mark> /	/	M	/ F (Please Ci	ircle)
Address: Contact Phone:					_								
Identity of Dor	nor Verified	<mark>l by:</mark> 🗌 Ph	oto ID only	ID Ty	pe:				ID Number	<del>.</del>			
REQUESTING	AUTHORIT	Y											
Company: Bc			Solutions	(	Company (	Colle	ction Site:		QML A	Account/Do	ctor Code	BBW2N	Λ
Nominated Re	presentative	e:					Co	ontact Ph	one:				
Reason for tes													
	- •												
Employment rela							Testing / Reha			r Testing rine Salbutam	ol (SPL)		
Urine Drug Co	-			·		-	Rehab (DRP)			rine Synthetic		oids (SYC)	
Laboratory Ald					-		ol only (UAQ)		· · _			()	(UDC
Instant Urine D	Drug Screen (D	S8) 🗌 + Brea	th Alcohol (+B	ET) 🗌 U	rine Ethyl Gl	ucuro	nide (ETG)		🗌 se	erum Carbohy	drate Defi	cient Transferrir	ı (CDR)
DONOR CERTI	FICATION												
I certify that the s	specimens ac	companying th	is form are m	y own and	l were provid	ded by	me to the coll	ector. Furth	ner, I certify that	the specimer	n containe	rs were sealed	
with tamper-evide	ent seals in m	y presence an	d that the info	ormation p	rovided on t	his fo	rm and on the l						е
Donor Signa		·			is to the requ	lesun	y officer.			Date:	1	/	
										Dutc.	·	/	_
COLLECTOR C						10.0							
HEALIUS COLLECTOR	AFFIX BAF		inic: BO	5300	Branch	Coll	ection Time	Pre-Paym	ent Receipt #			Amount \$	
USE ONLY				5500								φ	
<b>Collection Sit</b>	<mark>e:</mark>			On-s	site Test p	erfor	med by Hea	lius / QN	IL Pathology	Collector:			
I certify that I with	tnessed the o	donor signatu	re and that th	ne specim	en identifie	d on t	his form was I	provided to	o me by the doi	nor whose co	onsent and	d certification	
appears above, I									d in accordanc		S/NZS 430	8:2008 Standar	d.
I hold a certificat			•				if not applicab			Time			
Name of Col						PLID		ro					
INITIAL TEST							r's <mark>Signatu</mark>	IC.			: <u>)</u> //	//	
SPECIMEN IN	ITECDITY (						r's <mark>Signatu</mark>				:/	'/	
			IST BE CO	MPLETE	D*		r's <mark>Signatu</mark>	· .				//	_
TEMP (°C) Read within 4 mins	Recollect 3		IST BE CO 35 36	MPLETE 37	ED* 38 Reco				Visual Inspe	ction of Sar		/ /	
Read within 4 mins (Circle) Supervision	Recollect 3		35 36				Colourless	Col     Col     ine Dipsti	Visual Inspe our □ (Record C ck Results)	ction of Sar	nple	' /	
Read within 4 mins (Circle)	Recollect 3	3 34	35 36				Colourless	Color     C	Visual Inspe our □ (Record C ck Results de)	ction of San	nple n/Lot	Expiry Da	
Read within 4 mins (Circle) Supervision	Recollect 3	3 34	35 36				Colourless Creatin	Colo <u> ine Dipsti</u> (Please circ Normal	Visual Inspe our □ (Record C ck Results cle)	ction of San olour): Batch	nple 1/Lot Abno	Expiry Da	
Read within 4 mins (Circle) Supervision	Recollect 3	3 34	35 36	37	38 Reco	ollect	Colourless	Colo <u> ine Dipsti</u> (Please circ Normal	Visual Inspe our □ (Record C ck Results de)	ction of San	nple) h/Lot) Abno g/dL	(Expiry Da rmal Omg/dL	te)
Read within 4 mins (Circle) Supervision	Recollect 3	3 34 ns/Comments	35 36	37	38 Reco	ollect	Colourless Creatin 100mg/d	Col ine Dipsti (Please circ Normal IL	Visual Inspe our □ (Record C ck Results cle) 20mg/dL	ction of San olour): Batch	nple 1/Lot Abno g/dL BRE	Expiry Da	te)
Read within 4 mins (Circle) Supervision (Level:	Recollect 3	3 34	35 36	37 INSTA	38 Reco	ollect	Colourless Creatin	Col ine Dipsti (Please circ Normal IL	Visual Inspe our □ (Record C ck Results cle) 20mg/dL	ction of Sar olour): Batch	nple 1/Lot Abno g/dL BRE	Expiry Da rmal Omg/dL CATH ALCOHO	te)
Read within 4 mins (Circle) Supervision (Level:	Recollect 3. Observatio	3 34 ns/Comments Drugs MET AMP	35 36 3:) Neg	INSTA Non-Ne	38 Reco	ollect	Colourless Creatin 100mg/d Adulterants OX pH	Colorine Dipsti (Please circo Normal L Normal	Visual Inspe our  (Record C ck Results) cle) 20mg/dL Abnormal	ction of Sar olour): Batch Date Batch Date Batch Date Not Tested	nple) I/Lot Abno g/dL	Expiry Da rmal Omg/dL CATH ALCOHO	te)
Read within 4 mins (Circle) Supervision (Level:) Device N Batch/L	Recollect 3. Observatio	3 34 ns/Comments Drugs MET AMP COC	35 36 3:) Neg	37 INSTA Non-Ne	38 Reco ANT SCREE ing Not Tes	ollect	Colourless Creatin 100mg/d Adulterants OX pH CR	Colorine Dipsti (Please circo Normal	Visual Inspe our  (Record C ck Results cle) 20mg/dL Abnormal	ction of Sar olour): Batch	nple) I/Lot g/dL BRE	Expiry Da rmal Omg/dL ATH ALCOHO Device Name Ferial Number	te)
Read within 4 mins (Circle) Supervision (Level:)	Recollect 3. Observatio	3 34 ns/Comments Drugs MET AMP COC MOR/OPI	35 36 3:) Neg 	INSTA Non-Ne	38 Reco	ollect	Colourless Creatin 100mg/d Adulterants OX pH CR NI	Colorine Dipsti (Please circo Normal L Normal	Visual Inspe our  (Record C ck Results) cle) 20mg/dL Abnormal	ction of Sar olour): Batch Date Batch Date Batch Date Not Tested	nple) I/Lot g/dL BRE	Expiry Da rmal Omg/dL ATH ALCOHO Device Name	te)
Read within 4 mins (Circle) Supervision (Level:) Device N Batch/L	Recollect 3. (Observation) ame .ot Date	3 34 ns/Comments Drugs MET AMP COC	35 36 3:) Neg	INSTA Non-Ne	38 Reco	ollect	Colourless Creatin 100mg/d Adulterants OX pH CR	Colorine Dipsti (Please circo Normal L Normal	Visual Inspe our  (Record C ck Results) cle) 20mg/dL Abnormal	ction of Sar olour): Batch Date Batch Date Batch Date Not Tested	nple) h/Lot) Abno g/dL BRE I S Ca	Expiry Da rmal Omg/dL EATH ALCOHO Device Name ierial Number alibration Date	te)
Read within 4 mins (Circle) Supervision (Level:) Device N Batch/L Expiry D	Recollect 3. (Observation) ame .ot Date	3 34 ns/Comments Drugs MET AMP COC MOR/OPI THC	35 36 3: Neg    	INST/ Non-Ne	38 Reco	ollect	Colourless Creatin 100mg/d Adulterants OX pH CR NI NPB	Colorine Dipsti (Please circo Normal	Visual Inspe our  (Record C ck Results) cle) 20mg/dL 20mg/dL	ction of Sar olour): Batch Date Batch Date Batch Date Not Tested	nple) I/Lot g/dL BRE	Expiry Da rmal Omg/dL EATH ALCOHO Device Name Ferial Number alibration Date	te)
Read within 4 mins (Circle) Supervision (Level:) Device N Batch/L Expiry D	Recollect 3: Observatio ame ot Date Date	3 34 ns/Comments MET AMP COC MOR/OPI THC BZO SYC/K2	35 36 5:) Neg       	INST/ Non-Ne	38 Reco	EN ted	Colourless Creatin 100mg/d Adulterants OX pH CR NI NPB Glut	Colored Colore	Visual Inspe our  (Record C ck Results) cle) 20mg/dL 20mg/dL	ction of Sar olour): Batch Date Batch Date Batch Carlor Ca	nple Abno g/dL BRE I S Ca Res (g/21	Expiry Da rmal Omg/dL EATH ALCOHO Device Name Ferial Number alibration Date	te
Read within 4 mins (Circle)         Supervision (Level:)         Device N         Batch/L         Expiry D         Collection Date       Collection         Proceed	Recollect     3:       Observatio       ame       .ot       Date       ollection Time       to MS Con	3 34 ns/Comments MET AMP COC MOR/OPI THC BZO SYC/K2	35 36 	INSTA Non-Ne	38 Reco	ellect EN ted Secu	Colourless Creatin 100mg/d Adulterants OX pH CR NI NPB Glut S.G.	Colored Colore	Visual Inspe our  (Record C ck Results) cle) 20mg/dL 20mg/dL	ction of Sar olour): Batch Date Batch Date Batch Carlor Ca	nple Abno g/dL BRE I S Ca Res (g/21	Expiry Da rmal Omg/dL EATH ALCOHO Device Name Serial Number alibration Date ult OL)	te
Read within 4 mins (Circle)         Supervision (Level;)         Device N         Batch/L         Expiry D         Collection Date         Collection Date         Collection Date         Collection Date         ChAIN-OF-CU	Recollect 3: Observatio	3 34 ns/Comments MET AMP COC MOR/OPI THC BZO SYC/K2	35 36 	INSTA Non-Ne	38 Reco	ellect EN ted Secu	Colourless Creatin 100mg/d Adulterants OX pH CR NI NPB Glut S.G.	Colored Colore	Visual Inspe our  (Record C ck Results le) 20mg/dL Abnormal Abnormal Abnormal Abnormal Abnormal Abnormal	ction of Sar olour): Batch Date Batch Date Date Date Date Date Date Date Date	nple Abno g/dL BRE Ca Res (g/21	(Expiry Da rmal Omg/dL EATH ALCOHO Device Name Ferial Number alibration Date ult OL)	te)
Read within 4 mins (Circle)         Supervision (Level;)         Device N         Batch/L         Expiry D         Collection Date         Collection Date         Collection Date         Collection Date         Call         Proceed         CHAIN-OF-CU         R	Recollect     3:       Observatio       ame       .ot       Date       billection Time       to MS Con       STODY (Lab)       Received by:	3 34 ns/Comments MET AMP COC MOR/OPI THC BZO SYC/K2	35 36 	INSTA Non-Ne	38 Reco	ellect EN ted Secu	Colourless Creatin 100mg/d Aduiterants OX pH CR NI NPB Glut S.G. rity Seal No: e stickers.	Colors Co	Visual Inspe our  (Record C ck Results cle) 20mg/dL Abnormal	ction of Sar olour): Batch Date Batch Date Date Date Date Date Date Date Date	nple Abno g/dL BRE Ca Res (g/21	Expiry Da rmal Omg/dL EATH ALCOHO Device Name Serial Number alibration Date ult OL)	te)
Read within 4 mins (Circle)         Supervision (Level;)         Device N         Batch/L         Expiry D         Collection Date         Collection Date         Collection Date         Collection Date         ChAIN-OF-CU	Recollect     3:       Observatio       ame       .ot       Date       billection Time       to MS Con       STODY (Lab)       Received by:	3 34 ns/Comments MET AMP COC MOR/OPI THC BZO SYC/K2	35 36	INSTA Non-Ne	38   Reco     ANT SCREE     100	EN ted Secu	Colourless Creatin 100mg/d Aduiterants OX pH CR NI NPB Glut S.G. rity Seal No: e stickers.	Colors in Colors	Visual Inspe our  (Record C ck Results le) 20mg/dL Abnormal Abnormal Abnormal Abnormal Abnormal Abnormal	ction of Sar olour): Batch Date Batch Date Date Date Date Date Date Date Date	nple Abno g/dL BRE Ca Res (g/21	(Expiry Da rmal Omg/dL EATH ALCOHO Device Name Ferial Number alibration Date ult OL)	te)
Read within 4 mins (Circle)         Supervision (Level;         Device N         Batch/L         Expiry D         Collection Date         Collection Date         Collection Date         Collection Date         Collection Date         R	Recollect     3:       Observatio       ame       .ot       Date       billection Time       to MS Con       STODY (Lab)       Received by:	3 34 ns/Comments MET AMP COC MOR/OPI THC BZO SYC/K2	35 36	INSTA Non-Ne	38     Reco       ANT SCREE       Image: State of the state of th	Secu ot us Geal Ir	Colourless Creatin 100mg/d Adulterants OX pH CR NI NPB Glut S.G. rity Seal No: e stickers. ntact Label No Yes No Yes	Colors in Colors	Visual Inspe our  (Record C ck Results cle) 20mg/dL Abnormal	ction of Sar olour): Batch Date Batch Date Date Date Date Date Date Date Date	nple Abno g/dL BRE Ca Res (g/21	(Expiry Da rmal Omg/dL EATH ALCOHO Device Name Ferial Number alibration Date ult OL)	te)

#### **COMMERCIAL REQUEST FORM**



Patient Surname:	Given Name:	Sex:	Date of Birth:
Address: (State Company Name)		Tel (Home)	Tel (Mobile)

BODYCARE WORKPLACE SOLUTIONS	Dr Code	Billing Code	
Requested By: Body Care Workplace Solutions Level 1, 48 Cecil St Southbank VIC 3006 Ph: 03 8637 7170	BBW2M	5300	

TEST REQUESTED:	
URINE DRUG SCREEN LAB IMMUNOASSAY	DS4
PROCEED TO MS CONFIRMATION FOR ALL NON-NEG	GATIVE RESULTS.
Clinical Notes:	
Name of Collector:	Signature:
Site Location:	Collectors Certificate Number:

Any queries please contact Commercial Services on 07 3121 4945

## **Drug Information**

Full Name: \_\_\_\_\_

Date of Birth: \_\_\_\_\_

1. Are you presently taking any over-the-counter medication/drugs? (eg. pain killers, Sudafed or other cold and flu medication, cough mixtures, etc).

Specific Brand Name Medication/Drug	Reason for Medication	Dosage/Strength per day	Time & Date of Last Dose	How many days did you use it?

2. Are you taking any prescribed medication or drugs (eg. sedatives, pain killers or other)?

Specific Brand Name Medication/Drug	Reason for Medication	Dosage/Strength per day	Time & Date of Last Dose	How many days did you use it?

Physician who prescribed drug(s)?

3. Any other medication / drugs not previously mentioned?

Comments, explanations?

MAL Pathology.

Sig		
N0	กวบ	1111
Ju	nau	uiu